PTO/SB/122 (01-06)

Approved for use through 12/31/2008. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
o a collection of information unless it displays a valid OMB control number.

10/634.581

August 5, 2003

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Filing Date

Application Number

## Application Robert Johnson First Named Inventor 1644 Art Unit Address to: Yunsoo Kim Commissioner for Patents **Examiner Name** P.O. Box 1450 Alexandria, VA 22313-1450 PC027355 (SO00963/1/US) Attorney Docket Number Please change the Correspondence Address for the above-identified patent application to: The address associated with **V** 26648 Customer Number: OR Firm or Individual Name Address State Zip Country **Email** Telephone This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124).

I am the:

Applicant/Inventor

Assignee of record of the entire interest.

Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

Attorney or agent of record. Registration Number 42305

Registered practitioner named in the application transmittal letter in an application without an executed path or declaration. See 37 CFR 1.33(a)(1). Registration Number\_\_\_\_\_

Signature
Typed or Printed S. Christopher Bauer

CHANGE OF

CORRESPONDENCE ADDRESS

Name

Date 31 October 2007

Telephone 314-274-6257

NOTE. Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.

\*Total of 1 forms are submitted.

This collection of information is required by 07 CPR 1.33. The Information is required to obtain or retain a benefit by the public which is to file (and by the USPT) to process) an application. Confidentially, is governed by 50 USF 0.22 and 37 CPR 1.1 and 1.14. This conclination is estimated to labe 3 minuted to labe 43 minuted to 1.45 minuted 1.45 minu